1949 ANNUAL INDEX



Volume 21

January to December

Author Index

Bates, E. L.—"Specifying Design Tolerances," Mar., 120
Beck, Frank—"Centrifugal Stresses in Disks," May, 137
Bennett, J. T.—"The Engineering Manual . . . Its Function and Maintenance," Nov., 99
Blaney, R. E.—"Machine Wraps Shaped Insulation," Oct., 129
Bolz, Harold A.—"Engineering and Shop Relationships," Dec., 102
Bolz, Roger W.
"Production Processes . . Their Influence on Design:
"Projection Welding," Jan., 121
"Butt Welding," Feb., 103
"Production Brazing," Mar., 107
"Welding, general considerations," May, 119
"Welding, design factors," June, 135
"Sand Castings," Aug., 127
"Centrifugal Casting," Sept., 107
"Permanent Mold Casting," Oct., 115
"Die Casting," Nov., 115
"Plaster-Mold Casting," Dec., 141
"Turn Miller," Aug., 90
Bonanno, Joseph L.—"Dollars-and-Cents Advantages of Powder Metal Parts," May, 133
Brkich, A.—"Redesigned for Eye Appeal," Aug., 105
Burg, J. R.—"Mechanized Flame Hardening," Feb., 132

Cain, W.—"Booster Supplies Hydraulic Pressure," Apr., 115
Cohn, Gunther and Jess W. Oren—"Film Pressures in Greased Sleeve Bearings," July, 121
Contaldo, Joseph—"What Size Drive Spindle?" June, 144
Conway, H. D.—"Analyzing Stresses in Shells and Rings," Oct., 122
Conway, H. G.
"History of Machine Hydraulics:
"Air Hydraulics," Nov., 106
"Reciprocating Pumps," Dec., 120
"Selecting Limits and Machine Parts," Mar., 147
Cummings, Edgar H.—"Stacker Crane," Apr., 103

Dalzell, R. Carson and Joseph J. Matt—"Which Copper-Base Alloy?" Dec., 125
Davis, Louis E.—"Custom Tailor Manual Controls," Sept., 127
Delmonte, John—"Nonmetallic Coatings," Feb., 97
Dodge, Louis—"Design of Round-Bar Clamps," Jan., 115
Dooley, James L.—"Pneumatic Relays," Apr., 109
Douglass, C. N.—"Pneumatic Sander," May, 103.
Drewitz, Edwin—"Knife-Switch Mechanism," Nov., 108
Drucker, Ned—"Getting Flexibility into Machinery," Mar., 129
Durelli, August J. and Rex L. Lake—"Photoelasticity," Nov., 137

Eck, Robert N.—"Automatic Positioning of Machine Spindles," Nov., 111
Edwards, Robert S.—"Selecting Electric Servomotors," Jan., 104
Elberty, Robert S.—"Clutches," May, 98

Fischer, Paul E.—"Dust-Free Drive on Vacuflow Machine," Apr., 139
Freberg, C. R., R. C. Johnson and S. D. Moxley Jr.—"Balancing Crank Mechanisms," Aug., 111
Fry, Macon
"Determining Recoil Loading," Jan., 93
"Optimum Diameters of Flexible-Cable Pull Wires," June, 119
"When Will a Toggle Snap Open?" Aug., 126

Gagne, A. F. Jr.—"Selecting Flexible Couplings," Apr., 117
Garner, W. R. and J. W. Gebhard—"Machine Dials and Scales," Aug., 98
Gatcombe, E. K. and H. S. Ryder—"Designing Vibration Absorbers," Nov., 142
Gebhard, J. W. and W. R. Garner—"Machine Dials and Scales," Aug., 98
Gillett, H. W.—"What Do Materials Tests Tell the Designer?" Oct., 96
Godshall, A. L.—"Compensated Spring System in New Instrument," Mar., 104
Gordon, R. B.—"Investment Casting," Mar., 139.
Guth, Lauren W.—"Creative Engineers," Mar., 89

Hitchcock, Earl B.—"Controlling Machines with Electronic Counters," May, 112
Hofman, W. A.—"Redesign Effects Economies," Jan., 79
Horn, John—"How to Prepare Engineering Reports," Oct., 108
Howard, R.—"Helical Gear Overlap for Smooth Operation," Jan., 145
Hrones, John A.
"Key Factors in Cam Design and Application:
"Basic Relationships," Apr., 127
"Cam Contour Types," May, 107
"Followers and Follower Systems," June, 124
Hrones, John A. and James B. Reswick—"The Electronic Analogue," Sept., 115

Ireland, James R.—"Permanent Magnets," Apr., 153

Jacobs, R. J.—"Indexing with Concave Barrel Cams," Feb., 93
Johnson, Carl A.—"Helical Gears to Replace Spur Gears," May, 149
Johnson, Clarence—"Air-Hydraulic System Simplifies Design," Apr., 149
Johnson, R. C., C. R. Freberg and S. D. Moxley Jr.—"Balancing Crank Mechanisms," Aug., 111

Karmen, L. J.—"Management Control of New Design," Mar., 127
Kleis, Guy and J. C. McKeon—"Professional Development of the Young Engineers," Dec., 124
Kraus, Charles E.
"Automatic Positioning and Inserting Devices," Oct., 125
"Chuting and Orientation in Automatic Handling," Sept., 95
"Hopper Feeds," Feb., 116

Laird, J. Packard—"Stepping Relays," Apr., 133
Lake, Rex L. and August L. Durelli—"Photoelasticity," Nov., 137
Leifer, L. A. and James A. Mason—"Electromagnetic Clutches," June, 107
Lindsten, M. C.—"Which Fractional-Horsepower Motor?" June, 127
Lotz, Richard K.
"Bouncing-Basket Washer," Feb., 77
"Continuous Miner," May, 88
Loveland, R. P.—"Spur Gears," Apr., 161

Maier, Hanns J.—"Reducing Cost of Fatigue Testing," Sept., 137
Martin, James and J. H. Meier—"Improving Analysis of Graphical Records," Mar., 115
Mason, James A. and L. A. Leifer—"Electromagnetic Clutches," June, 107
Matt, Joseph J. and R. Carson Dalzell—"Which Copper-Base Alloy?" Dec., 125
Mazia, Joseph—"Protective Coatings," Jan., 110
McEachron, K. B. Jr.—"Engineering Interns," Aug., 141
McFarland, Forest and J. G. Vincent—"Torque Converter Transmission," July, 117
McKeon, J. C. and Guy Kleis—"Professional Development of the Young Engineers," Dec., 124

Menking, H. V.—"Aluminum Extrusions Design Factors and Tolerances," Nov., 127
Michell, W. P.—"Planetary Gearing," Feb., 87
Mills, Kenneth N.—"Reduction of Noise in Gearing," Jan., 88
Moxley, S. D. Jr., C. R. Freberg and R. C. Johnson—"Balancing Crank Mechanisms," Aug., 111

Nash, William A.—"Calculating Stresses and Deflections in Circular Plates," Aug., 149
Nichols, N. B. and J. G. Ziegler—"Process Control Valves," Jan., 129
Norman, C. A.—"Belt Drives," Feb., 111

Oren, Jess W. and Gunther Cohn—"Film Pressures in Greased Sleeve Bearings," July, 121
Osborn, Niel—"How Codes Affect Pressure Vessel Design," Sept., 105
Otto, Carl Louis—"Engineering by Eye," Mar., 98

Perrin, John G.—"Needed—Nation-Wide Drafting Standard," June, 96
Pfeiffer, Clarence L.—"A More Effective Drafting Room," July, 100

Randich, E. A.—"Strength and Stiffness of Ribbed Plates," Sept., 143
Rappaport, Sigmund—"Design of Beam Scales," June 121
Reed, Ferris L.—"Speed-Control Methods," July, 83
Reswick, James G. and John A. Hrones—"The Electronic Analogue," Sept., 115
Richards, John T.—"What Beryllium Copper Offers the Designer," Aug., 117
Richter, Walter—"Electronic Tachometer," Nov., 133
Ritchie, David—"Molded-Laminated Machine Parts," June, 111
Roberts, C. C.—"Control Instruments," Apr., 169
Robinson, F. W.—"Hydraulic Fitting Standards for Industrial Equipment," (Data Sheet), July, 133
Roman, W. G.—"Electronic Regulators and Regulating Systems," Dec., 147
Ross, Ronald J.—"Differential Pulley Amplifies Vibrograph Output," Oct., 105
Rounds, Thomas E.
"Superprecision Ball Bearings:
"Selection for Low Friction, Rigidity and Load Capacity," Jan., 97
"Shaft Housing and Enclosure Design," Feb., 121
"Fitting, Installation and Removal," Mar., 131
"Lubrication and Systems," May, 127
Rupp, Lewis A.—"Applying Pitch-Changing Mechanisms to Marine Propellors," Feb., 127
Ryde, John L.—"Gas Engine Powers Portable Unit," Aug., 106

Ryder, H. S. and E. K. Gatcombe—"Designing Vibration Absorbers," Nov., 142

Schupner, W. J.—"Oscillating Pilot Controls Valve," Aug., 124
Senger, Werner I.—"Determining Balancing Accuracy," Dec., 122
Smith, J. N.—"Hydraulic Packings for Industrial Equipment," (Data Sheet), Dec., 155
Spackman, H. B.—"Co-ordinating Engineering, Production and Sales," Mar., 126
Stimson, Glen H.—"Unified Tolerances Compared," July, 116
Sutherland, Charles R.—"Panel Type Air Filters," July, 125
Swannack, J. D.
"Beam Deflections Solved with Matrices," Sept., 131
"Tables Aid Solution of Beam Deflection Problems," (Data Sheet)," Nov., 149

Thompson, Bradley—"Panel Meter Redesigned," Dec., 122
Tyler, Ransom—"Which Hydraulic Pump?" Apr., 141

Vandeman, C. L.—"Machine Finishes," Sept., 99
Varnum, Edward C.—"Relay Circuit Analysis," Dec., 137
Vedder, E. H.—"How and Where to Apply Electronic Controls," Apr., 177
Vincent, J. G. and Forest McFarland—"Torque Converter Transmission," July, 117

Walsh, J. Paul—"Resonance Amplifies Forces in Vibration Machines," July, 113
Weber, Carl F. and William P. Wier Jr.—"Lens Grinder," Sept., 88
Wheelon, O. A.—"Design for Mass Production," Mar., 135
Wier, William P. Jr. and Carl F. Weber—"Lens Grinder," Sept., 88
Wilcock, Donald F.—"Lubrication of Bearings," Nov., 92
Wilkins, W. G.—"Plaster-Mold Castings," June, 114
Wilson, H. A.—"Flywheel Effect of V-Belt Sheaves," Feb., 141
Wilson, Warren E.—"Performance of Hydraulic Pumps and Motors," Jan., 133
Wimer, H. Dudley Jr.—"Motion Analysis," Aug., 109
Winter, Paul H.
"Acceleration in Geneva Drives," Feb., 130
"Eliminating Belt Misalignment," Sept., 125

Young, C. H.—"Engineering Graduate in Machine Design," May, 126

Ziegler, J. G. and N. B. Nichols—"Process Control Valves," Jan., 129
Zuefle, Russell G.—"Pretzel Tying Machine," July, 74

Subject Index

A

Acceleration study of geneva drives, Feb., 130
Accelerometer employs spark recording*, Sept., 92
Accelerometer, high frequency (Calidyne Co.)*, Sept., 158
Actuator, electric (Hoover Electric Co.)*, Apr., 196
Adjustable speed drive, electronic, Apr., 177
Air filter, panel type, selection and application in machines, July, 125
Air flow measured by yarn tufts*, Jan., 87
Airplane-helicopter combination*, Apr., 98
Airplane, prone-position pilot bed*, Apr., 98
Algebra, odd-even, for circuit analysis, Dec., 137
Alternators (Kato Engineering Co.)*, July, 140
Amplifier, mechanical, used in vibrograph*, Oct., 107
Analogue, electronic, Sept., 115
Analyzer, noise or vibration (Aircraft Electronics Assoc. Inc.)*, June, 174
Analyzer, servo (Flight Research Engineering Corp.)*, Sept., 158
Antenna, remote training of, Jan., 109
Antidetonant injection for automotive engines*, Feb., 82
Armature, vibratory, operates portable sprayer*, Aug. 147
Atomic power for aircraft*, Nov., 196
Attenuator (Shalleross Mfg. Co.)*, June, 172
Axle, suspension system for*, Aug., 164

B

Backlash eliminator*, Mar., 178
Balancer, viscous*, Oct., 133
Balancing by spring*, Feb., 137
Balancing crank mechanisms, discussion of, Aug., 111
Balancing, determining accuracy of, Dec., 113
Balancing mechanism, Feb., 79
Balls, steel, for ball point pens*, Oct., 92
Beam deflections, table for (Data Sheet)*, Nov., 149
Beam deflections solved with matrices, Sept., 131
Beam scales, design of, June, 121
Bearings, sleeve:
centrifugally-cast (Induction Processing Co.)*, Nov., 153
for sliding motion*, Mar., 174
friction reduced by servo follow-up*, Feb., 82
heated*, Mar., 176
high-speed, lubrication of*, Feb., 170
journal continuously centered by bearing pressure pockets*, June, 155
locking mechanism for*, Jan., 166
lubrication at subzero temperatures, Nov., 92
rubber, in mounted rocker arm*, Dec., 154
self-aligning (Shafer Bearing Corp.)*, Jan., 147
self-aligning (Boston Gear Works)*, May, 155
sleeve, high-density bronze (Ampco Metal Inc.)*, Apr., 184
tilting pad construction*, Dec., 184
Bearings, ball and roller:
miniature (Miniature Precision Bearings Inc.)*, Feb., 145
pillow block (Fafnir Bearing Co.)*, July, 141
pillow block (Split Ballbearing Corp.)*, Sept., 154
pillow block (Fafnir Bearing Co.)*, Dec., 163
pillow block, unit-type (SKF Industries Inc.)*, Nov., 154
reciprocating (Thomson Industries Inc.)*, Feb., 152
resilient mount for*, Apr., 108
roller, take-up (Dodge Mfg. Corp.)*, Aug., 158
roller, Messinger "X" type, May, 92
superprecision, Part III—selection for low friction, rigidity and load capacity, Jan., 97; Part IV—shaft, housing and enclosure design, Feb., 121; Part V—fitting, installation and removal, Mar., 131; Part VI—lubrication and systems, May, 127
take-up (Dodge Mfg. Corp.)*, Sept., 154
take-up (Fafnir Bearing Co.)*, Mar., 160
unit (Roberts Machine Works)*, Aug., 152
Belts:
conveyor for bulk materials between mixing and packaging*, Oct., 104
conveyor, nylon-cotton combination*, Oct., 92
drives, operating conditions of, Feb., 111
eliminating misalignment in drive, Sept., 125
endless, rubber (U. S. Rubber Co.)*, Oct., 137
V-belts, fractional horsepower (Browning Mfg. Co.)*, Dec., 165
Blowers:
electric (Globe Industries Inc.)*, Mar., 159
electric, reversible (Globe Industries Inc.)*, June, 162
small (Redmond Co. Inc.)*, June, 164
Bonding agent (Western Sealant Inc.)*, Nov., 155
Bonding, rubber-to-metal (Stalwart Rubber Co.)*, May, 155
Bosses, projection welding (Ohio Nut & Bolt Co.)*, Apr., 188
Bottle filler, high-speed*, Nov., 148
Brakes:
disk, self-energizing, Nov., 125
disk-type electric (Warner Electric Brake Co.)*, Nov., 152
dynamic, adjustable-speed motor, July, 86
fractional-hp, magnetic (Stearns Magnetic Mfg. Co.)*, July, 141
hydraulic, dispenses with linkages*, Jan., 85
motor, solenoid (Guardian Electric Mfg. Co.)*, Oct., 140
reverse, Jan., 166
system for hydraulic application, July, 120
Brazing aluminum to steel*, Aug., 86
Bridge and amplifier (Ellis Associates)*, Dec., 172

*Denotes short articles of less than one page.

Bushing, linear ball (Thomson Industries Inc.)*, Sept., 151
Bushing, strain relief (Heyman Mfg. Co.)*, July, 144
Business machines, Dec., 150

C

Cabinets, blueprint (Cole Steel Equipment Co. Inc.)*, July, 150
Cabinet, electrical, dust-tight (Square D Co.)*, Jan., 147
Cabinets, steel drawer (Aurora Equipment Co.)*, Sept., 158
Calibration flasher*, May, 97
Camera film advance, motor-driven*, Oct., 132
Camera, microfilm continuous strip (Diebold Inc.)*, Jan., 160
Camera oscilloscope (F. P. Warrick)*, Mar., 170
Cams:
  adjustable track*, Dec., 186
  concave barrel, indexing with, Feb., 93
  cylinder for indexing star wheels*, July, 78
  design and application, Part I—basic relationships, Apr., 127; Part II—contour types, May, 107; Part III—followers and follower systems, June, 124
  profiler*, Sept., 142
  redesign of for Sulzer weaving machine, Jan., 81
Carburetors, horizontal type (Zenith Carburetor Div.)*, May, 154
Carrier, belt conveyor (Stephen-Adamson Mfg. Co.)*, July, 142
Casters, heavy-duty (Bassick Co.)*, Aug., 155
Castings:
  centrifugal, Sept., 107
  die casting, design for, Nov., 115
  investment, beryllium copper, Aug., 119
  investment, case study of, Mar., 139
  investment, for stainless steel crank*, Feb., 140
  iron (Motors & Metals Inc.)*, Dec., 166
  magnesium, Aug., 106
  permanent-mold, Oct., 115
  plaster-mold, June, 115
  plaster-mold, Dec., 141
  sand, copper base alloys for, Aug., 134
  sand, design considerations, Aug., 127
Chain, detachable roller (Atlas Chain & Mfg. Co.)*, July, 144
Chromium plating for small parts (Midwest Chrome Process Co.)*, Feb., 148
Chuting employed in automatic feeding and transfer, Sept., 95
Circuit breaker, automatic reset (Fasco Industries Inc.)*, Dec., 162
Circuit breaker, low voltage, d-c (Spencer Thermostat Div., Metals and Controls Corp.)*, Nov., 154
Circuit breaker plug (Hopax Electric Inc.)*, June, 168
Circuit, inlaid, for sliding contacts (Glass Products Co.)*, Aug., 152
Circuit tester, pocket-sized (Precision Apparatus Co.)*, Apr., 202
Clamps:
  conduit, low-pressure (Flexible Tubing Corp.)*, Jan., 150
  hose, self-tightening (Corbin Screw Div.)*, Apr., 94
  midget-type (Noble & Stanton Inc.)*, July, 143
  round-bar, design of, Jan., 115
  wire harness (Thomas Associates)*, Apr., 194
Clock, based on atomic vibration*, Feb., 84
Clutching, automatic*, Aug., 164
Clutches:
  control, single-stroke*, May, 146
  coupling, centrifugal (Centric Clutch Co.,)*, Nov., 157
  disk type, automatic (Salsbury Corp.)*, May, 160
  eddy-current, used in industrial trucks*, Mar., 97
  electromagnetic, June, 107
  facing, asbestos-metallic (Johns-Manville)*, Nov., 155
  fluid-particle magnetic (Duncan & Bayley Inc.)*, Nov., 152
  friction, automatic (Clark Clutch Div.)*, Jan., 152
  magnetic fluid type, characteristics and design of, May, 98
  mercury-actuated (Automatic Steel Products Inc.)*, Oct., 135
  overload operated*, July, 79
  overrunning, June, 104
  prevents double stroke*, Sept., 136
  self-controlled*, Apr., 212
  spring, sheave type (L.G.S. Spring Clutch Corp.)*, Jan., 147
  system for hydraulic application, July, 120
  torque limiting, Oct., 133
  uses centrifugal flyweights, automatic*, Jan., 168
  V-belt, automatic (W.S.K. Inc.)*, Feb., 145
Coils, heat transfer (Parker Appliance Co.)*, June, 161
Combustion control, electronic (Bristol Co.)*, Oct., 139
Compressor, air (Air-Flo Compressor Co.)*, Apr., 192
Compressor, clean-lined, May, 148
Condensate disposal unit (Eastern Industries Inc.)*, July, 143
Conductor, super, electric*, Apr., 98
Connectors:
  solderless (Thomas & Betts Co.)*, Jan., 148
  wire, plastic and porcelain (Holub Industries Inc.)*, Sept., 146
  wire, screw-on (Holub Industries Inc.)*, Jan., 154
Contact, electrical, copper-tungsten (Gibson Electric Co.)*, Jan., 154
Contact, electrical, materials (Fansteel Metallurgical Co.)*, Mar., 166
Contactors:
  air break (Allis-Chalmers Mfg. Co.)*, Oct., 140
  magnetic (Ward Leonard)*, Mar., 157
  reversing (Struthers-Dunn)*, May, 156
Controls:
  bomber pressure*, May, 106
  circuit, hydraulic, of contour saw, Oct., 134
  circuit transformer (Square D Co.)*, May, 162
  combustion, electronic (Bristol Co.)*, Oct., 139
  electric motor drives, July, 83
  electronic, how and where to apply, Apr., 177
  electronic, motor load, (G.C. Wilson & Co.)*, Apr., 194
  instruments, type and selection, Apr., 169
  instruments, air operated (Bristol Co.)*, Nov., 160
  liquid level, magnetic*, Sept., 164
  manual, selection of, Sept., 127
  photoelectric (Photoswitch Inc.)*, Oct., 137
  plug, electric (Standard Dayton Corp.)*, June, 162
  remote, for radio tuning devices*, Jan., 168
  single-stroke clutch*, May, 146
  solenoid latch, Apr., 105
  speed stepless (Servo-Tek Co.)*, Aug., 156
  systems, air-hydraulic, Apr., 149
  time, hydraulic system (Hufford Machine Works)*, Jan., 148
  timer (Photoswitch Inc.)*, May, 158
Controlling machines with electronic counters, May., 112
Control, tension and velocity*, Nov., 114
Converter, liquid oxygen, July, 99
Converter, liquid oxygen*, May, 84
Converter, transmission, July, 117
Conveyors:
  belt, corrugated surface for 40 degree incline*, July, 68
  belt, for bulk materials between mixing and packaging*, Oct., 104
  belt, overland, May., 138
  belt, zipper edges*, Jan., 76
  chain (Whitney Chain & Mfg. Co.)*, May, 154
  high-speed, analysis of, Aug., 109
Cord, high-strength heater, (General Electric Co.)*, Feb., 154
Corrosion, car underbody, by salt treated roads*, Oct., 166
Corrosion-inhibiting rods (Rotometals Inc.)*, Mar., 164
Counters:
  electronic, for machine control, May, 112
  low-speed, magnetic (Veeder-Root Inc.)*, Aug., 157
  magnetic (Veeder-Root)*, May, 154
  mechanical (Durant Mfg. Co.)*, Apr., 188
  ratchet type (Veeder Root Inc.)*, Nov., 157
Couplings:
  clutch, centrifugal (Centric Clutch Co.)*, Nov., 157
  electrical, waterproof (Roylyn Inc.)*, Aug., 154
  flexible (Boston Gear Works)*, Apr., 184
  flexible (Estey Co.)*, Aug. 153
  flexible (Lord Mfg. Co.)*, Apr., 192
  flexible (Morse Chain Co.)*, Aug., 158
  flexible, gear-type (Sier-Bath Gear & Pump Co. Inc.)*, Sept., 150
  flexible, selection of, Apr., 117
  flexible shaft (Elliot Mfg. Co.)*, Dec., 166
  flexible, silent chain (Morse Chain Co.)*, Sept., 146
  friction, for portable power-driven tools*, Feb., 168
  hydraulic (B. A. Coupling Co. Inc.)*, Sept., 147
  revolving casing for (Diamond Chain Co.)*, Oct., 140
  shaft, wedge-locking (Dodge Mfg. Co.)*, Mar., 157
  swivel pipe joint (Kelite Products Inc.)*, July, 142
Crane, stacker, mounted on overhead rails, Apr., 103
Crank mechanism, balancing of, Aug., 111
Current indicator (Industrial Devices Inc.)*, Nov., 162
Cutout, multigage, automatic (Greer Hydraulics Inc.)*, Nov., 156
Cylinder, air adjustable-stroke (Anker-Holth Mfg. Co.)*, June, 170
Cylinder, carbide, solid (Carboloy Co.)*, Mar., 158
Cylinder, hydraulic, cushion-plate for (Gerotor May Corp.)*, Nov., 155
Cylinder, pneumatic (Tompkins-Johnson Co.)*, Nov., 158

D

Deflection of beams solved with matrices, Sept., 131
Deflections of circular plates (Data Sheet)*, Aug., 149
Detector for leaks in welded tanks*, Oct., 92
Detents, hydraulically-actuated*, Apr., 216
Dials:
  design of, for machines, Aug., 98
  direct reading indicates screw feed*, Jan., 85
  timer (M. H. Rhodes Inc.)*, Apr., 186
Diaphragm, vacuum-actuated, for shutting valve*, Sept., 92
Die casting, design for, Nov., 115
Differentials:
  mechanical*, Dec., 184
  mechanical, controls torque*, Sept., 104
  mechanical, small, (Milwaukee Lock & Mfg. Co)*, Apr., 186
  synchronous (Kollsman Instrument Div.)*, Mar., 162
Disks, centrifugal stresses determined graphically, May, 137
Drafting:
  chair (Cramer Posture Chair Co.)*, July, 152
  format, June, 96
  guide, perspective (Charles Bruning Co.)*, Aug., 160
  instrument (W. J. Ottinger)*, Feb., 160
  instrument (Plastic Enterprise Inc.)*, July, 150
  machine (Charles Bruning Co.)*, Nov., 162
  machine (V & E Mfg. Co.)*, Dec., 170
  machine, precision (L. G. Wright Inc.)*, Oct., 142
  management, July, 100
  standards, June, 96
  table (Engineering Mfg. Co.)*, Feb., 158
  tracing unit, fluorescent (Stacor Equipment Corp.)*, July, 152
Drier, print, electric (Fedco Products)*, Apr., 202
Drier, warm air improves efficiency, Feb., 91
Drilling unit (Black Industries)*, June, 165
Drills, twist*, Aug., 97
Drives:
  dual-motor, for machine control*, Jan., 144
  friction*, Feb., 172
  interrupted-rotation (Metal Seal and Products Inc.)*, Dec., 161
  reciprocating*, June, 155
  spindle, selection of, June, 144

E

Ejector, liquid (Selas Corp. of America)*, Aug., 152
Electrodes, arc-welding (Data Sheet)*, June, 151
Electronic analogue, Sept., 115
Electronic calculator*, June, 92
Electronic controls, how and where to apply, Apr., 177
Electronic regulators and regulating systems, Dec., 147
Electronic transmitter and receiver*, July, 81
Engineering department (see Management)
Engines:
  cyclone*, May, 132
  gasoline (Uebelhoer Bros.)*, May, 156
  gasoline (Briggs & Stratton Corp.)* May, 157
  gasoline, light-weight (Power Products Corp.)*, Mar., 160
  gasoline, lightweight (Simplex Mfg. Corp.)*, Dec., 165
  gasoline, portable (Prentice Corp.)*, June, 162
  gasoline, small (Cushman Motor Works Inc.)*, July, 146
  high-compression*, Dec., 200
  radial, aircraft, improved design of, Oct., 121
  single cylinder, Aug., 106
  vertical shaft type (Clinton Machine Co.)*, Oct., 137
  water-cooled (Cushman Motor Works Inc.)*, Aug., 154

*Denotes short articles of less than one page.

Escapement magnetic reed for watches*, Mar., 86
Etching, preparation of metal surfaces for examination*, Sept., 91
Extensometer, continuously-indicating*, Dec., 134
Extrusions, aluminum, design factors and tolerances, Nov., 127

F

Fasteners:
blind (Tinnerman Products Inc.)*, Apr., 186
comparison of tolerances, July, 116
in metal strip (Tinnerman Products Inc.)*, Nov., 154
locking, heavy-duty (Security Locknut Corp.)*, Nov., 156
locking, high-temperature (Elastic Stop Nut Corp.)*, Mar., 166
locking, screw (Brush Nail Expansion Bolt Co.)*, Aug., 153
multiscrew (American Screw Co.)*, Aug., 151
rubber-insulated (Automotive Rubber Co.)*, Oct., 138
Fatigue tester, pneumatic*, July, 132
Fatigue testing, accelerated method of, Sept., 137
Feeder, press stock*, Nov., 98
Feeding and transfer devices, automatic, Oct., 125
Feeding mechanism, automatic, for small parts, Sept., 95
Feeds, hopper, basic types and their design, Feb., 116
File, drawing, metal (Empire Development Corp.)*, Mar., 170
Film advance, camera, motor driven, Oct., 132
Film, direct-positive copying (Eastman Kodak)*, Dec., 172
Filter, dual-purpose, cleaning lubricating or fuel oil (W.G.B. Oil Clarifier Inc.)*, Apr., 190
Filter, stainless steel (Amplex Mfg. Co.)*, Nov., 160
Finishes:
anodizing, discussion of, Jan., 110
chromate coating, discussion of, Jan., 110
chromate-phosphate, discussion of, Jan., 110
chromium plating for small parts, (Midwest Chrome Process Co.)*, Feb., 148
decorative (Sherwin-Williams Co.)*, June, 168
machine, Sept., 99
nonmetallic, characteristics of, Feb., 97
oxide coating for aluminum, Jan., 110
paint, corrosion-resistant, plastic (Munray Products Inc.)*, June, 163
paint, fire-retardant*, Apr., 98
paint, stainless-steel (Plastics Div., Lockrey Co.)*, May 164
primer, metal finishing (Di-Noc Co.)*, Sept., 149
protective (U. S. Stoneware Co.)*, Oct., 138
protective, phosphate, applied by water solution*, Jan., 76
vitreous enamels for aluminum alloys*, Apr., 98
zinc, bright-chromate (Allied Research Products Inc.)*, Feb., 145
Fitting standards, hydraulic (Data Sheet), July, 133
Fittings, tube, July, 106
Fittings, tube, hydraulic (Parker Appliance Co.)*, Jan., 147
Flash lamp, plastic (Amglo Corp.)*, May, 166
Flaws, metal, detected by ultrasonic stethoscope*, Feb., 86
Flexible-cable pull-wires, optimum diameters of, June, 119
Flow-control unit (Hays Mfg. Co.)*, Jan., 150
Fluid flow control*, Mar., 178
Fluid proportioning by helical propeller*, Mar., 174
Force measurement, hydraulics employed in, Oct., 113
Fuse holder, in-line (Hugh H. Eby, Inc.)*, Oct., 140

G

Gages:
cutout, automatic (Greer Hydraulics, Inc.)*, Nov., 156
high-pressure (American Machine & Metals Inc.)*, July, 148
hydraulic, shock-resistant (A. Schrader's Son)*, Mar., 164
strain, helically-wound*, Aug., 164
strain, measuring accuracy*, Mar., 95
thickness (Branson Instruments Inc.)*, June, 172
Gaging, semiautomatic, on gear finishing machine*, Jan., 85
Gasket, flexible, all metal (Flexitallic Gasket Co.)*, Nov., 153
Gasket material (Products Research Co.)*, July, 142
Gasket material, heat resistant (Acushnet Process Co.)*, Oct., 138
Gasket, rubber, punched and extruded (Stalwart Rubber Co.)*, Mar., 168
Gasoline power unit (Cushman Motor Works)*, Feb., 154
Gearing, planetary, discussion of, Feb., 87
Gearmotors (see motors)
Gears:
helical, overlap for smooth operation (Data Sheet), Jan., 145
helical to replace spur (Data Sheet), May, 149
modified tooth form increases efficiency, reduces noise, Jan., 88
noise reduction of, Jan., 88
planetary in two-speed bicycle drive, Nov., 132
shaved, have wear resistance*, Jan., 76
spur, for high-speed application, Apr., 161
Generator, small, d-c (Arma Corp.)*, Aug., 157
Generator, tachometer (General Electric Co.)*, Nov., 162
Geneva drives, acceleration study, Feb., 130
Germanium crystals, four-element, radio and television*, Oct., 92
Governor, centrifugal (Pierce Governor Co.)*, Sept., 146
Governor, dual speed, of commercial vehicles*, Nov., 168
Graphical analysis, centrifugal stresses in disks, May, 137
Graphical record, improved analysis of, Mar., 115
Grease, gear, extreme-service (Keystone Lubricating Co.)*, Feb., 145
Grease, low temperature (Texas Co.)*, Mar., 158
Grinder has cam shape wheel*, Mar., 95
Grinder, tilting table feed*, May, 145
Grinding, centerless of small, ball bearing*, Nov., 96
Gyroscopes, rate and position (G. M. Giannini & Co.)*, June, 161

H

Hardening, flame, mechanized advantages of, Feb., 132
Hardness testing with precision indenter,* Nov., 146
Hard-surfacing powder (Lincoln Electric Co.)*, Feb., 156
Heating elements*, May, 84
Hinges, continuous aluminum (Moynahan Bronze Co.)*, Apr., 192
Hopper feed, automatic (Feedall Machine & Engineering Co.)*, July, 148
Hoppers for parts (Kraus Design Inc.)*, Sept., 150
Hose, air, oil-resistant (B. F. Goodrich Co.)*, Dec., 164
Hose, sanitary, rubber (Goodyear Tire & Rubber Co.)*, Apr., 194
Hydraulics:
booster, Apr., 115
booster (Sprague Engineering & Sales)*, Aug., 154
circuit, for contour saw control, Oct., 134
control valve, directional (Vickers Inc.)*, Apr., 184
cylinders (Miller Motor Co.)*, May 155
fluid, high-temperature (Celanese Corp. of America)*, Nov., 157
force measurement by, Oct., 113
machines, history of, air hydraulics, Nov., 106
machines, history of, reciprocating pumps, Dec., 120
packings, for industrial equipment, Dec., 155
pump, Apr., 141
pump balancing device*, Jan., 170
pumps and motors, performance of, Jan., 133

I

Ignition systems, low-tension*, Feb., 186
Indicator, engine pressure*, Sept., 156
Indicator, strain, automatic balancing (Baldwin Locomotive Works)*, Oct., 142
Inserts, rolled-thread (Clover Industries Inc.)*, June, 163
Inserts, sapphire, for wear resistance*, Dec., 111
Instruments:
control, type and selection, Apr., 169
pivot type, panel (General Electric Co.)*, Oct., 136
vibration-measuring (Rev Products Co.)*, Feb., 160
Insulation:
light-weight for cold pipe (Robinson Industries)*, Nov., 156
plastic foam*, May, 84
plastic, thermal (American Latex Products Corp.)*, Jan., 158
resin, silicone (General Electric Co.)*, Sept., 154
wrapping machine, Oct., 129
Insulators, electrical (American Lava Corp.)*, June, 168

J

Joints:
double universal operation*, Apr., 218
high-temperature, swivel (Chiksan Co.)*, Dec., 162
rotating, high-temperature (Chiksan Co.)*, Oct., 139
universal (Lovejoy Flexible Coupling Co.)*, May, 164
universal ball and socket*, Apr., 216

K

Kilovoltmeter (Hickok Electrical Instrument Co.)*, Sept., 158
Knife-switch mechanism, Nov., 108

L

Lamp, flash, triggered by light impulse*, Aug., 146
Landing gear, design features of*, Oct., 170
Lathe, design for rapid setup, automatic changing*, Sept., 140
Lens grinder, Sept., 88
Lettering instrument, mechanical (Varigraph Co. Inc.)*, Jan., 160
Lighting fixture, adjustable (Stocker & Yale)*, Sept., 158
Light-intensity cells*, Apr., 98
Light, position control, Apr., 107
Limits and fits for machine parts, selection of (Data Sheet), Mar., 147
Load and pressure cells (Baldwin Locomotive Works)*, Dec., 172
Load cell, universal (Baldwin Locomotive Works)*, Feb., 158
Lubricant, compressible, for automatic lubrication, Nov., 97
Lubricating oils*, Aug., 86
Lubrication:
analysis of film pressure, July, 121
automatic, by means of compressible lubricants*, Nov., 97
subzero, bearing, Nov., 92
Lubricator, journal box (Miller Felpax Corp.)*, Dec., 162

M

Machines (see specific machines)
Machinery, getting flexibility into, Mar., 129
Magnet, nonmetallic (General Ceramics & Steatite Corp.)*, Nov., 158
Magnetic brake, fractional-hp (Stearns Magnetic Mfg. Co.)*, July, 141
Magnetic counter (Veeder-Root Inc.)*, May, 154
Magnetic drive in pump*, Feb., 140
Magnetic fluid*, July, 80
Magnetic materials, nonconducting (North American Phillips)*, Mar., 162
Magnetic starter (Ward Leonard Electric Co.)*, July, 146
Magnet, permanent, materials*, Oct., 92
Magnets, permanent, design and application of, Apr., 153
Magnifier, illuminated (Stocker and Yale)*, Feb., 158
Magnifier, vernier scale (Stebar Co.)*, June, 174
Management:
control of new design, Mar., 127
creative engineers, discovering and developing of, Mar., 89
development of young engineer*, Dec., 124
engineering, Aug., 141
engineering and shop relationship, Dec., 102
engineering reports, Oct., 108
engineering, symposium, Mar., 126
graduate's attitude toward design*, Oct., 174
manual, function and maintenance of, Nov., 99
quality control*, Dec., 208
quality control, purpose of*, Nov., 200
quality control, tolerances, June, 130
quality, how to improve*, Dec., 212
Manometer, mercury, high-accuracy, (Taylor Instrument Co.)*, Feb., 146

*Denotes short articles of less than one page.

Materials:
aluminum, brazing to steel*, Aug., 86
beryllium copper, design properties, Aug., 117
bismuth alloy (Cerro de Pasco Copper Corp.)*, Dec., 166
bronze, high-density, bearing (Ampco Metal Inc.)*, Apr., 184
carbide tube (Kennametal Inc.)*, Aug., 155
carbide cylinders, solid (Carboloy Co.)*, Mar., 158
carbon-graphite bearing (Pure Carbon Co.)*, Oct., 135
cement, high-temperature,* June, 92
ceramics, high-temperature*, Dec., 111
copper-base alloys (Fansteel Metallurgical Corp.)*, Feb., 150
copper-base alloys, Dec., 125
directory of, Oct., 217
glass, designed to permit silver soldering*, Sept., 91
glass laminate*, Aug., 145
gray iron, nodular*, May, 84
leather, improved wear resistance*, Apr., 98
leather, properties of*, Jan., 76
magnetic, nonconducting (North American Phillips)*, Mar., 162
magnetic, permanent*, Oct., 92
magnesium used in deep drawn shell*, Mar., 146
stainless steel alloy (Armco Steel Corp.)*, Sept., 146
stainless steel, corrosion-resistant (Carpenter Steel Co.)*, May, 157
stainless steel powder parts (Amplex Mfg. Co.)*, Sept., 145
stainless steel, sheet and plate (Duriron Co.)* Oct., 139
steel, alloy cast (Lebanon Steel Foundry)*, Sept., 148
steel, alloy, free-machining (Joseph T. Ryerson & Son Inc.)*, Jan., 147
steel, free-machining (Joseph T. Ryerson and Son Inc)*, Dec., 166
steel, silicon sheet, piercing and blanking of*, Aug., 86
titanium (E. I. DuPont)*, Mar., 160
titanium*, May, 84
tungsten powders*, Apr., 98
Materials, testing of, Oct., 96
Measurement:
accuracy of, enhanced by mercury isotope*, Feb., 85
electrostatic and magnetic field, by electron microscope*, Oct., 103
force, by hydraulics, Oct., 113
Mechanical kidney, Dec., 140
Meters:
contact-making (Assembly Products Inc.)*, Oct., 142
electric, miniature (International Instruments Co.)*, Jan., 152
magnetic, piston suspension*, Mar., 174
panel, redesign of, Dec., 122
postage, portable*, Sept., 142
velocity, for air and gas (Hastings Instrument Co.)*, Sept., 156
vibration (Calidyne Co.)*, July, 152
Micrometer, (Electro Products Laboratory)*, Mar., 170
Milling, turn, machine, Aug., 90
Miner, continuous, May, 88
Model research airport, May, 118
Molded laminated parts, June, 111
Molding, injection, insert (Gries Reproducer Corp.)*, Jan., 158
Molding, two-color*, Jan., 144
Motion analysis of high-speed conveyor, Aug., 109
Motors:
a-c induction (Westinghouse Electric Corp.)*, Nov., 160
a-c, three-speed (Marco Industries Inc.)*, Dec., 156
a-c, variable-speed delivering variable torques*, July, 68
angular mounting eliminates belt misalignment, Sept., 125
business machine (General Electric Co.)*, June, 168
control, electronic, Apr., 177
d-c, constant-speed (Amglo Corp.)*, Feb., 148
d-c, low-voltage, permanent magnet (Haydon Mfg. Co.)*, May, 164
d-c, miniature (Electro-Aire Inc.)*, Dec., 162
explosion-proof, (Ruthman Machinery Co.)*, Apr., 184
floating-rotor, utilized for spindle advance, Dec., 135
fluid drive (Reuland Electric Co.)*, Sept., 150
flywheel, loom (General Electric Co.)*, Dec., 165
fractional-horsepower (Electric Motor Corp)*, Sept., 152
fractional-horsepower (Hoover Co.)*, Mar., 159
fractional-horsepower (Redmond Co. Inc.)*, May, 160
fractional-horsepower, selection of, June, 127
fractional-horsepower, shaded-pole (Electro Engineering Products Co.)*, Jan., 154
fractional-horsepower, six-pole (Fasco Industries Inc.)*, Nov., 160
gearhead (Redmond Co.)*, Aug., 157
gearhead-reduction (Robbins & Myers Inc.)*, Nov., 154
gearmotors, totally-enclosed (Crocker-Wheeler Electric Mfg. Co.)*, May, 158
gearmotors, totally enclosed (United Electric Machinery Co.)*, June, 162
hydraulic, performance of, Jan., 133
induction, fan-cooled (Burke Electric Co.)*, Feb., 148
intermittent rotation mechanism for electric*, Jan., 166
jet pump (Brown-Brockmeyer Co.)*, May, 158
lifetime lubricated (General Electric Co.)*, Dec., 161
polyphase, drip-proof (Wagner Electric Corp.)*, Feb., 152
pump unit (John S. Barnes Corp.)*, Sept., 148
shaded-pole (Redmond Co.)*, June, 164
single-phase (Louis Allis Co.)*, July, 144
single-phase jet pump (Century Electric Co.)*, June, 160
single-phase (Iron Fireman Mfg. Co.)*, Dec., 164
small skeleton (Redmond Co.)*, Sept., 149
submersible pump (Piqua Machine & Mfg. Co.)*, Nov., 156
synchronous (Electric Indicator Co.)*, Sept., 154
synchronous timing (R. W. Cramer Co.)*, Oct., 135
totally-enclosed (Brown-Brockmeyer Co.)*, Sept., 154
totally-enclosed (Sterling Electric Motors Inc.)*, Sept., 151
toatily-enclosed fan-cooled (Valley Electric Corp.)*, Sept., 146
wound-rotor (Crocker-Wheeler Electric Mfg. Co.)*, June, 166
Mounts:
adjustable, for appliances (Ohio Nut & Bolt)*, Mar., 168
resilient, for ball bearings, Apr., 108
vibration, all-metal (Robinson Aviation Inc.)*, Feb., 156
vibration, heavy-duty (Finn & Co.)*, Feb., 152
vibration, snubbing (Lord Mfg. Co.)*, Jan., 148

N

Nameplates, embossed-metal (Chicago Car Seal Co.)*, Mar., 168
Noise analyzer (Aircraft Electronics Associates Inc.)*, June, 174
Nuts and screws, welding (Ohio Nut & Bolt Co.)*, July, 140
Nut retainer (Tinnerman Products Inc.)*, Mar., 166
Nut, snap, blind (Prestole Corp.)*, Jan., 152

O

Oiler, gravity-feed, multiple (Oil-Rite Corp.)*, Jan., 150
Oil seal, rotary (Gits Brothers Mfg. Co.)*, Apr., 184
O-rings, groove design for*, May, 176
Oscillograph, cathode-ray (Allen B, DuMont Laboratories Inc.)*, Dec., 168
Oscilloscope (Hickok Electrical Instruments Co.)*, July, 150
Overdrive for Chevrolet, Apr., 175
Overload detecting device (Westinghouse)*, Mar., 158
Oxygen converter, July, 99

P

Packing, asbestos sheet (Greene, Tweed & Co.)*, Sept., 147
Packing, hydraulic, for industrial equipment, Dec., 155
Packing material, molded (Crane Packing Co.)*, Nov., 156
Packing, ring, nonextruding (Greene, Tweed & Co.)*, Feb., 152
Packing, V-type (Linear Inc.)*, Dec., 161
Panel instruments, pivot type (General Electric Co.)*, Oct., 138
Paper coating machine*, Feb., 139
Permanent magnets, design and application of, Apr., 153
Photocopy machine (General Photo Products Co.)*, June, 172
Photocopy machine, continuous (American Photocopy Co.)*, Apr., 198
Photocopy machine (Haloid Co.)*, Dec., 168
Photocopy paper (General Photo Products Co.)*, Mar., 170
Photocopy paper (Eastman Kodak Co.)*, Apr., 204
Photoelastic method of stress analysis, Nov., 137
Photoelectric control (Photoswitch Inc.)*, Mar., 159
Photoelectric control (Photoswitch Inc.)*, Oct., 137
Photoelectric counter (Photoswitch Inc.)*, Mar., 164
Photoelectric registration control (Photoswitch Inc.)*, Feb., 154
Photography, high-speed, used to analyze casting techniques*, Jan., 76
Photographic viewfinder*, Aug., 86
Pitch-changing mechanism, application to marine propellers, Feb., 127
Pistons, checking and classifying of*, May, 96
Piston ring, taper face, oil control and reduced blow-by*, Apr., 218
Piston temperature measured at high-speed*, Mar., 97
Planetary gear units, May, 92
Plastic and porcelain wire connectors (Holub Industries Inc.)*, Sept., 146
Plastic coating, colored (Foster & Kester)*, Nov., 158
Plastics:
acrylic fiber*, Jan., 76
failure of, Mar., 184
flash lamp (Amglo Corp.)*, May, 166
housing enhances design*, Aug., 148
laminate (B. F. Goodrich Chemical Co.)*, Sept., 145
laminate (Formica Co.)*, July, 146
laminated parts, June, 111
nylon-cotton for heavy-duty conveyor belt*, Oct., 92
nylon, graphite-filled (Polymer Corp.)*, Aug., 157
phenolic laminate, high-strength (Synthane Corp.)*, Oct., 135
phenolic, thermosetting (Rogers Corp.)*, Sept., 152
phenolic used in pump casings*, Mar., 146
silicone extruded molded parts (Stalwart Rubber Co.)*, Jan., 158
silicone insulating resin (General Electric Corp.)*, Sept., 154
silicone-rubber, glass reinforced sleeving (Connecticut Hard Rubber Co.)*, Jan., 156
silicone rubber parts (Stalwart Rubber Co.)*, June, 170
silicone-rubber sponge for gaskets, vibration of (Connecticut Hard Rubber Co.)*, Feb., 152
wire, glass fiber sleeving (Bently, Harris Mfg. Co.)*, Sept., 150
Plates, circular, stresses and deflections in (Data Sheet)*, Aug., 149
Plates, ribbed, strength and stiffness of (Data Sheet)*, Sept., 143
Plugs, countersunk pipe (J. J. Tourek Mfg. Co.)*, Sept., 150
Plugs, leakproof pipe, (U. S. Pipe & Fittings)*, Mar., 160
Pneumatic:
chip remover, June, 106
fatigue tester*, July, 132
industrial wheel (Geneva Metal Wheel Co.)*, Apr., 196
relays, Apr., 109
rotary vane pump (Gast Mfg. Corp.)*, Oct., 138
sander, May, 103
timer (Square D Co.)*, May, 156
vibrator (Cleveland Vibrator Co.)*, July, 140
Pneumatic-hydraulic control system, Apr., 149
Polariscope for photoelastic testing, Nov., 138
Porcelain and plastic wire connectors (Holub Industries Inc.)*, Sept., 146
Porcelain enamel, method for evaluating texture*, June, 92
Positioning, automatic, of machine spindles, Nov., 111
Powder-metal parts, dollars-and-cents advantages of, May, 133
Powder-metal parts, stainless steel (Amplex Mfg. Co.)*, Sept., 145
Power system, d-c (Leece-Neville Co.)*, Apr., 190
Power units, hydraulic-electric (American Blower Corp.)*, Feb., 158
Power units, rotating pipe*, Feb., 86
Pre-amplifier, calibrated (Sound Apparatus Co.)*, Dec., 172
Press, air-operating, Jan., 141
Pressure cells, low-range (Baldwin Locomotive Works)*, May, 164
Pressure control, bomber*, May, 106
Pressure measuring device (Automatic Temperature Control Co.)*, Feb., 154
Pressure regulator (C. A. Norgren Co.)*, July, 140
Pressure vessels, how code effects design, Sept., 105
Pretzel tying machine, July, 74
Print drier (Lott Mfg. Co.)*, Apr., 202
Print drier, electric (Fedco Products)*, Apr., 202
Production, design for, mass, Mar., 135
Production:
Processes, their influence on design, Part XL—projection welding, Jan., 121; Part XLI—butt welding, Feb., 103; Part XLII—production brazing, Mar., 107; Part XLIII—welding, general consideration, May, 119; Part XLIV—welding, design factors, June, 135; Part XLV—sand castings, Aug., 127; Part XLVI—centrifugal casting, Sept., 107; Part XLVII—permanent-mold casting, Oct., 115; Part XLVIII—die casting, Nov., 115; Part XLIX—plaster-mold casting, Dec., 141

*Denotes short articles of less than one page.

Profiler, cam*, Sept., 142
Projection mechanism for movies over television*, Sept., 93
Propeller blades, stainless steel, helicopter*, July, 82
Propellers, reversible pitch, allow high descent rates*, Jan., 76
Pulley, cast-iron, V-belt (A & A Machine Co.)*, Apr., 192
Pulley, differential, amplifies vibrograph output, Oct., 105
Pulley, idler (Palmer Bee Co.)*, May, 164
Pull-wires, optimum diameters of, June, 119
Pumps:
  air, rotary vane (Gast Mfg. Corp.)*, Oct., 138
  centrifugal (Eastern Industries)*, Mar., 157
  centrifugal (Thompson Products Inc.)*, June, 164
  centrifugal (Graymills Corp.)*, May, 160
  centrifugal, stainless steel (Goulds Pumps Inc.)*, Dec., 165
  centrifugal, testing of, Sept., 113
  clutch-driven heavy-duty (Marine Products Co.)*, Jan., 152
  fluid, medium-pressure (Eastern Industries)*, Jan., 156
  gearless hydraulic (Eco Engineering Co.)*, June, 161
  gear-type, hydraulic (Eastern Industries Inc.)*, Nov., 158
  high-head jet (Goulds Pumps Inc.)*, Apr., 194
  high-vacuum*, Feb., 138
  hydraulic, Apr., 141
  hydraulic (Universal Machinery Co.)*, June, 166
  hydraulic (Vickers Inc.)*, Sept., 151
  hydraulic, adjustable-stroke, June, 105
  hydraulic, gear (Hydraulic Equipment Co.)*, Jan., 154
  hydraulic, air-actuated (Lyon-Raymond Corp.)*, Dec., 163
  hydraulic, and motors, performance of, Jan., 133
  hydraulic, piston (Eastman Pacific Co.)*, Jan., 158
  jacketed (Viking Pump Co.)*, July, 140
  reciprocating, Dec., 120
  redesigned inlet ports*, Nov., 168
  restyled for appearance and performance*, Sept., 141
  rotary gear, hydraulic (Lear Inc.)*, Sept., 152
  rotary hydraulic (Hinckley Technical Assoc. Inc.)*, Sept., 149
  rotary vane and rubber seal joint*, May, 176
  two-stage, operates press*, Nov. 147
  water injection (Lear Inc.)*, June, 168
Pump motor (Ruthman Machinery Co.)*, Apr., 184
Pump motor unit (John S. Barnes Corp.)*, Sept., 148
Pyrometer, recording (Electric-Arc Inc.)*, July, 148

Q

Quality control*, Dec., 208
Quality control, purpose of*, Nov., 200
Quality control, tolerances, June, 130
Quality, how to improve*, Dec., 212

R

Ratchet mechanism*, June, 155
Recoil loading, determination of, Jan., 93
Record changing mechanism, phonograph, June, 150
Recorders:
  electric pyrometer (Electric-Arc Inc.)*, July, 148
  graphic (Sound Apparatus Co.)*, July, 152
  operating-time (Bristol Co.)*, Mar., 157
  polinear, for electro-acoustic and electronic devices (Sound Apparatus Co.)*, Oct., 142
  sound analyzer (Sound Apparatus Co.)*, June, 172
  spark, on accelerometer*, Sept., 92
  temperature (Leeds & Northrup Co.)*, Apr., 196
Recording instrument, operation (Bristol Co.)*, Feb., 146
Records, graphical, analysis of, Mar., 115
Rectifiers, heavy-duty selenium (International Rectifier Corp.)*, Apr., 194
Redesign effects economies, Jan., 79
Reducer, geared speed (Euclid Universal Machine Inc.)*, May, 154
Reducer, single reduction speed (Ohio Gear Co.)*, May, 154
Reel windup control*, Apr., 168
Regulators:
  constant flow, Dec., 112
  pressure (C. A. Norgren Co.)*, July, 140
  voltage, automatic (The Superior Electric Co.)*, Sept., 152
  voltage, static generator (Vickers Electric Div.)*, Aug., 152
Relays:
  circuit analysis for, Dec., 137
  compensating (Sigma Instruments Inc.)*, July, 148
  control, miniature (American Relay & Controls Inc.)*, Dec., 164
  general purpose (Advance Electric & Relay Co.)*, Aug., 156
  hermetically-sealed (Advance Electric & Relay Co.)*, Mar., 168
  hermetically-sealed (Automatic Electric Sales Corp.)*, Aug., 153
  magnetic (Ward Leonard Electric Co.)*, Oct., 139
  magnetic (Ward Leonard Electric Co.)*, June, 166
  magnetic, miniature (Ward Leonard Electric Co.)*, Jan., 156
  mercury (Ebert Engineering & Mfg. Co.)*, June, 161
  mercury, double-flow (Durakool Inc.)*, Feb., 152
  pneumatic, Apr., 109
  stepping, Apr., 133
  ultra-high-speed (Stevens Arnold Inc.)*, Apr., 192
Reports, engineering, preparation of, Oct., 108
Resistor coil (Euclid Electric & Mfg. Co.)*, Dec., 163
Resistor, high-current (Ward Leonard Electric Co.)*, Nov., 156
Resistor, high-current (Exmet Electrical Corp.)*, Dec., 164
Resolvers, precision, electric (Arma Corp.)*, Oct., 138
Retainer, self-locking (Waldes Kohinoor Inc.)*, June, 163
Retaining ring, bowed (Waldes Kohinoor Inc.)*, May, 164
Ribbon-wire shapes, metal (Sylvania Electric)*, Mar., 160
Rings:
  sealing, carbon-graphite (Gits Bros. Mfg. Co.)*, Oct., 137
  stainless steel, piston (Steel or Bronze Piston Ring Corp.)*, Sept., 148
  stress analysis of, and shells, Oct., 122
Rods, connecting*, Sept., 94
Rubber:
  belts, endless (U. S. Rubber Co.)*, Oct., 137
  closed cellular (Great American Industries Inc.)*, Aug., 158
  extruded and molded (Stalwart Rubber Co.)*, May, 158
  parts, colored*, Nov., 88
  plasticized compound (Stalwart Rubber Co.)*, Oct., 136
  punched products (Stalwart Rubber Co.)*, June, 160
  silicone parts (Stalwart Rubber Co.)*, June, 170
  solvent-resistant (Stalwart Rubber Co.)*, Mar., 158
  synthetic (Stalwart Rubber Co.)*, June, 164
  synthetic (Stalwart Rubber Co.)*, Dec., 165
  synthetic, compared with natural*, Oct., 168

S

Sander, pneumatic, May, 103
Saw, chain, powered by gasoline engine, Aug., 106
Scales, all-purpose (Omicron Instrument Co.)*, Apr., 204
Scales and dials for machines, Aug., 98
Scales, beam, design of, June, 121
Screws:
  cap, self-locking (Diamond Head Screw Co.)*, Apr., 194
  cap, self-tapping (Parker-Kalon Corp.)*, Nov., 157
  locking inserts (Brush Nail Expansion Bolt Co.)*, Aug., 153
  thread standards, unified, Jan., 127
  welding (Ohio Nut & Bolt Co.)*, July, 140
Seals:
  annular, designed to permit fluid supply to operating chambers*, Nov., 168
  for swivel joints*, Mar., 176
  high-pressure, mechanical (Byron Jackson Co.)*, Dec., 163
  hydraulically closed*, Feb., 170
  O-rings, long-life design*, Feb., 170
  piston-ring*, Apr., 214
  reed*, Sept., 164
  ring, carbon-graphite (Gits Bros. Mfg. Co.)*, Oct., 137
  self-lubricating, carbon-graphite (Morganite Inc.)*, Oct., 139
Sealing of powder-filling machine, Apr., 139
Servo mechanism, clutch-brake (Buehler & Co.)*, July, 142
Servomechanism test instrument (Servo Corp. of America)*, May, 166
Servomotor (Holtzer-Cabot Inc.)*, May, 157
Servomotor (Square D Co.)*, May, 160
Servomotors, Jan., 104
Servo test instrument (Flight Research Engineering Corp.)*, Mar., 172
Shaft control, precision device, Feb., 168
Shaft, telescoping, May, 91
Sheaves:
  steel, two-element (Transmission Machinery Corp.)*, Jan., 148
  torque limiting feature, Oct., 134
  V-belt (V-Belt Engineering Co.)*, Aug., 153
  V-belt, flywheel effect of (Data Sheet), Feb., 141
Shells and rings, stress analysis of, Oct., 122
Shock absorbers*, May, 84
Shock absorbers (Thompson Electric Co.)*, July, 141
Slide rule, circular (Allegheny Plastics Inc.)*, May, 166
Slide rule, log-log (Pickett & Eckel Inc.)*, Dec., 168
Solenoid air valves (see Valves)
Solenoid with increased tractive force*, Sept., 164
Solenoid latch mechanism, Apr., 105
Sound analyzer, recorder (Sound Apparatus Co.)*, June, 172
Sound level meter, portable (Hermon Hosmer Scott Inc.)*, May, 166
Specifications*, Dec., 204
Speed control methods for electric motor drives, July, 83
Speed control, stepless (Servo-Tek Co.)*, Aug., 156
Speed drive, variable (Speed Selector Inc.)*, Aug., 155
Speed drive, miniature (Metron Instrument Co.)*, June, 166
Speed reducers:
  double-reduction, Apr., 167
  double-reduction (Euclid Universal Machine Inc.)*, Sept., 145
  used in pug mill*, Mar., 146
  worm-gear (Boston Gear Works)*, Jan., 154
Spindle drive, calculations for stresses in, June, 144
Spindle drive, selection of, June, 144
Spring system, compensated in instruments, discussion of, Mar., 104
Spur gears, for high-speed application, Apr., 161
Starters:
  magnetic (Arrow-Hart & Hegeman)*, Mar., 158
  magnetic (Ward Leonard Electric Co.)*, July, 146
  magnetic and contactor (Trumbull Electric Mfg. Co.)*, Feb., 152
  solenoid-operated (Ward Leonard Electric Co.)*, Feb., 148
Stoker, spreader type*, Jan., 143
Strain indicator, automatic balancing (Baldwin Locomotive Works)*, Oct., 142
Stress analysis in shells and rings, Oct., 122
Stress analysis, photoelastic method, Nov., 137
Stress, centrifugal, in disks, analyzed graphically, May, 137
Stress, internal, measured by instruments*, Nov., 96
Stroboscope, slow speed (General Radio Co.)*, June, 174
Styling, modern machine*, Feb., 188
Styling of machine, discussion of, Mar., 98
Switches:
  actuating, splashproof (Productions Instruments Co.)*, Jan., 140
  adapter plate for (Unimax Switch Corp.)*, June, 164
  centrifugal*, May, 97
  centrifugal (Euclid Electric & Mfg. Co.)*, Sept., 150
  industrial safety (Square D Co.)*, Sept., 147
  lever-action (Switchcraft Inc.)*, Sept., 151
  limit, duplex (Square D Co.)*, Feb., 150
  motor-reversing (Iron Fireman Mfg. Co.)*, Sept., 148
  precision (Unimax Switch Corp.)*, May, 162
  pressure-actuated (DiaPhlex Div. of Cool Electric)*, Mar., 162
  pressure-actuated (Meletron Corp.)*, Aug., 155
  pressure-relief, Nov., 108
  rotary, multipole, multistage (Electro Switch Corp.)*, Jan., 152
  rotary selector (Arrow-Hart & Hegeman Electric Co.)*, Nov., 153
  slide (Stackpole Carbon Co.)*, Jan., 147
  snap, universal type (Unimax Switch Div.)*, Mar., 164
  stepping, automatic, rotary (Automatic Electric Co.)*, Jan., 152
  stepping, spring-driven (C. P. Clare & Co.)*, Mar., 164
  thermal (Airite Products Co.)*, July, 143
Synchro transmitter, high-sensitivity (Kollsman Instrument Div.)*, Jan., 156
Synchro units (Arma Corp.)*, Feb., 154

T

Tachometers:
  breaker-point, engine (Metron Instrument Co.)*, Apr., 198
  direct-reading (O. Zernickow Co.)*, Apr., 200

*Denotes short articles of less than one page.

Tachometers (cont.)
electric, built-in (Electric Tachometer)*, Jan., 156
electric, high-precision (Metron Instrument Co.)*, Jan., 160
electronic, Nov., 133
indicator (Metron Instrument Co.)*, Mar., 168
motor testing (Metron Instrument Co.)*, Aug., 160
Television has interoffice use*, Jan., 76
Templates:
circle (Rapidesign Inc.)*, Feb., 160
drafting (Rapidesign Inc.)*, Mar., 170
master, ellipse (Rapidesign Inc.)*, Aug., 160
Temperature recorder (Leeds & Northrup Co.)*, Apr., 196
Temperature transmitter (Taylor Instrument Co.)*, July, 146
Terminal block (Westinghouse Electric Corp.)*, Dec., 166
Terminal, electrical, plug-in (Ark-Les Switch Corp.)*, Apr., 196
Terminals, hermetically-sealed (General Ceramics & Steatite Corp.)*, Apr., 188
Tester, circuit, pocket-sized (Precision Apparatus Co.)*, Apr., 202
Testing:
cavitation, apparatus, June, 105
centrifugal pumps, Sept., 113
fatigue, accelerated method of, Sept., 137
materials, value of data derived from, Oct., 96
machine, aircraft*, Jan., 120
machine, electronic, Jan., 140
machine, fatigue, subjects pipes to bending loads*, Jan., 86
machine, vibration, July, 113
ultrasonic (Sperry Products Inc.)*, Dec., 170
Test instrument, servomechanism (Servo Corp. of America)*, May, 166
Tetrode, power, air-cooled*, Mar., 164
Thermometer element, wafer type (Ruge-de-Forrest)*, Mar., 164
Thermometer, magnetic (W. C. Dillon & Co.)*, Sept., 156
Thermostat, midget disk type (Stevens Mfg. Co. Inc.)*, Nov., 154
Thermostat, positive operating (Stevens Mfg. Co. Inc.)*, Sept., 147
Thermostat, positive-operating (Stevens Mfg. Co. Inc.)*, Dec., 163
Thermostat, protective (Metals & Controls Corp.)*, Oct., 136
Thickness measuring machine*, July, 131
Thread roller, planetary, utilizes triple dies*, July, 130
Thyratron, mercury-vapor (Radio Corp. of America)*, Feb., 150
Timers:
automatic control (Eagle Signal Corp.)*, Aug., 157
automatic reset (Haydon Mfg. Co.)*, May, 162
dials (M. H. Rhodes Inc.)*, Apr., 186
four-circuit, cycle (R. W. Cramer Co.)*, June, 170
interval (General Electric Co.)*, Apr., 198
pneumatic (Square D Co.)*, May, 156
process (Struthers-Dunn Inc.)*, Apr., 186
repeat cycle (G. C. Wilson & Co.)*, July, 150
two-speed (M. H. Rhodes Inc.)*, Aug., 160
Timing unit, electric (Eagle Signal Corp.)*, Apr., 186
Toaster, automatic*, May, 147
Toggle, snap-open calculation*, Aug., 126
Tolerances, comparison of old & new screw-thread standards, July, 116
Tolerances, specifying by statistical analysis, Mar., 120
Tool lifter, automatic electromagnetic (Deca Co.)*, Jan., 154
Torque converter*, Dec., 216
Torque converter, one-way locking system*, May, 178
Torsion scraper ejector, Mar., 142
Transfer and feeding mechanism, automatic, Oct., 125
Transfer forms (C. M. Johnson Co.)*, Feb., 158
Transfer mechanism, automatic, Sept., 95
Transformer, control circuit (Square D Co.)*, May, 162
Transformer, oil burner ignition (Acme Electric Corp.)*, Aug., 158
Transmissions:
automatic (Western Mfg. Co.)*, Feb., 146
gearshift drive (Lima Electric Motor Co.)*, Aug., 151
torque-converting, July, 117
two-speed (Eclipse Machine Div.)*, May, 156
two-speed planetary, Nov., 132
two-speed for motor bikes, Dec., 146
variable-speed (Standard Transmission Equipment Co.*, Apr., 190
variable-speed (Graham Transmissions, Inc.)*, Sept., 148
variable-speed (Graham Transmissions, Inc.)*, Feb., 145
variable-speed (Speed Control Corp.)*, Apr., 188
variable-speed (General Radio Co.)*, Nov., 153
variable-speed, (Westinghouse Electric Corp.)*, Nov., 156
variable-speed (Graham Transmissions Inc.)*, Dec., 162
variable-speed, control (Reeves Pulley Co.)*, Oct., 135
variable-speed control by ball shape roller bodies*, Sept., 166
variable-speed, right-angle (Ohio Gear Co.)*, Nov., 152
Transmitter, pneumatic pressure, Apr., 113
Transmitter, temperature (Taylor Instrument Co.)*, July, 144
Tubes:
cemented carbide (Kennametal Inc.)*, Aug., 155
electrical-insulating, plastic (Extruders Inc.)*, Mar., 159
fittings, July, 106
method for forming*, May, 96
unions, flared (Roylyn Inc.)*, May, 160
Turbine, gas, 200-hp*, Feb., 184
Turbine, gas, locomotive, July, 110
Turbine, gas, possibilities for automotive power*, July, 68
Turntable motor, dual-speed*, Feb., 136
Tying mechanism, July, 74
Typewriter console produces any desired sound effects*, Oct., 92
Typewriter, world's smallest, Jan., 103

U

Union connection, rotary (Perfecting Service Co.)*, June, 163
Universal joint (Lovejoy Flexible Coupling Co.)*, May, 164
Unpacker for bottle and jar unloading, June, 148

V

Valves:
air and hydraulic (C. B. Hunt & Son Inc.)*, Sept., 145
air controlled (Logansport Machine Co.)*, Sept., 147
air dumping (Ross Operating Valve Co.)*, June, 170
air-hose (Paul Valve Corp.)*, Apr., 188
air-solenoid (Valvair Corp.)*, Aug., 152
air-solenoid (Valvair Corp.)*, Sept., 149
air-solenoid (Viking Products Co. Inc.)*, Apr., 190
air-solenoid (Mechanical Air Controls Inc.)*, Nov., 157
air-solenoid control (Bellows Co.)*, June, 161
air-solenoid, controlled by oscillating pilot, Aug., 124
air-water operating (Leslie Co.)*, Aug., 153
ball type (Klipfel Mfg. Co.)*, June, 166
check and needle (Pneu-Trol Devices Inc.)*, Oct., 136
check, cone (Parker Appliance Co.)*, Feb., 148
check, high-pressure (Hoke Inc.)*, Mar., 162
check, hydro-pneumatic (Kohler Co.)*, Jan., 150
control (Annin Co.)*, Aug., 155
control, foot-operated (Modernair Corp.)*, June, 163
control, pneumatic (Modernair Corp.)*, Feb., 156
control, pneumatic (Airmatic Valve, Inc.)*, Jan., 148
control, pneumatic, (Hanna Engineering Works)*, Nov., 160
control, pneumatic, disk (Hannifin Corp.)*, Dec., 161
diaphragm, high volume (C. A. Norgren Co.)*, Nov., 158
double-piloted (C. B. Hunt & Son Inc.)*, Oct., 137
flow-control (Airmatic Valve)*, Mar., 166
gate, cast-steel (Crane Co.)*, Mar., 158
gate, stainless steel (The Cooper Alloy Foundry Co.)*, Aug., 158
globe, plug type (Jenkins Bros.)*, Feb., 145
high-pressure check (Kohler Co.)*, Aug., 154
high-pressure hydraulic, sealing of*, Sept., 166
hydraulic, automatic*, Jan., 170
hydraulic, control*, Sept., 106
hydraulic, control (Hydraulic Equipment Co.)*, Sept., 148
hydraulic, for divided flow*, Sept., 164
hydraulic, relief (Gerotor May Corp.)*, Jan., 158
magnetic, for locking brakes at desired pressure*, Sept., 166
manual control (Saval Inc.)*, June, 165
oil, pilot (Gerotor May Corp.)*, June, 168
packless air control (Logansport Machine Co.)*, June, 160
packless diaphragm (Crane Co.)*, May, 155
packless globe*, June, 155
pilot (Hanna Engineering Works)*, Oct., 140
pneumatic, hand-operated (Numatics)*, Feb., 146
pneumatic relay, Apr., 109
pneumatic, three-way (Mead Specialties Co.)*, Nov., 152
process control, Jan., 129
quick-exhaust (Airmatic Valve Inc.)*, Feb., 146
solenoid (Carma Mfg. Co.)*, July, 143
solenoid (Crescent Valve Co.)*, Dec., 164
solenoid, high-pressure (Waterman Engineering Co.)*, Mar., 159
velocity limiting (Pneu-Trol Devices Inc.)*, July, 144
Variable-pitch typewriter rack for even right hand margin*, July, 82
Variable-stroke mechanism*, May, 144
Vessels, pressure, effect of code on design, Sept., 105
Vibration absorbers, design of, Nov., 142
Vibration analyzer (Aircraft Electronics Assoc. Inc.)*, June, 174
Vibration damper (Connecticut Hard Rubber Co.)*, July, 143
Vibration eleminator, torsional*, Feb., 168
Vibration meter (Calidyne Co.)*, July, 152
Vibration mount (Finn & Co.)*, Nov., 160
Vibration mount, all-metal (Robinson Aviation Inc.)*, Feb., 156
Vibration mount, heavy-duty (Finn & Co.)*, Feb., 152
Vibration mount material (Korfund Co.)*, Mar., 157
Vibration pickup (Consolidated Engineering Corp.)*, Jan., 160
Vibration testing apparatus, July, 113
Vibrator, armature, operates portable sprayer*, Aug., 147
Vibrator, electric (Globe Industries Inc.)*, Sept., 151
Vibrator, pneumatic (Cleveland Vibrator Co.)*, July, 140
Vibrograph, Oct., 105
Voltage regulator, automatic (The Superior Electric Co.)*, Sept., 152
Voltage regulator, static generator (Vickers Electric Div.)*, Aug., 152
Voltage tester (Square D Co.)*, Apr., 200
Voltmeter, portable (Pyramid Instrument Co.)*, Sept., 158
Voltmeter, vacuum tube (General Electric Co.)*, Aug., 156

W

Washer, automatic, design features of, Oct., 133
Washer, bouncing basket, discussion of, Feb., 77
Washer, sealing (Franklin C. Wolfe Co.)*, May, 162
Wear measurement*, May, 84
Weaving machine, Sulzer, redesign of, Jan., 79
Welding:
aluminum, cold, Jan., 180
arc, of chrome-nickel stainless steel, aluminum bronzes*, Nov., 88
design factors, June, 135
electrodes, steel, selection of (Data Sheet), June, 151
general considerations, May, 119
projection bosses (Ohio Nut & Bolt Co.)*, Apr., 188
seam, for compressor housing*, Jan., 144
similar steels, redesign for, Nov., 166
Weld-nut (National Screw & Mfg. Co. and Lamson & Sessions)*, July, 141
Weld-nut, locking (Grip Nut Co.)*, Apr., 190
Weld-nuts and screws (Ohio Nut & Bolt Co.)*, July, 140
Wheels:
assemblies (Kelsey-Hayes Wheel Co.)*, Sept., 145
cast-aluminum, industrial (Pikes Peak Aluminum Foundry)*, Mar., 166
disk, industrial (Geneva Metal Wheel Co.)*, Sept., 152
industrial (Bassick Co.)*, Nov., 157
pneumatic, industrial (Geneva Metal Wheel Co.)*, Apr., 196
semipneumatic or hard (Paramount Engineering)*, Mar., 160
small, industrial (Geneva Metal Wheel Co.)*, July, 141
Whiteprinting machine (C. F. Pease Co.)*, Dec., 170
Wire, drawn, nickel-alloy (Kemet Laboratories)*, Feb., 146
Wire harnesses, armored (Interstate Mfg. Co.)*, Jan., 156
Wire sleeving, glass fiber (Bently, Harris Mfg. Co.)*, Sept., 150
Worm gear, ball bearing*, Apr., 212
Wrench, torque, employs toggle principle*, Aug., 147

Z

Zippers to fasten rubber diaphragms in car coupling*, June, 92

*Denotes short articles of less than one page.